



Names \_\_\_\_\_

School Name \_\_\_\_\_ TEAM # \_\_\_\_\_

Slide A

1. \_\_\_\_/2 Active at dawn or dusk
- 2. \_\_\_\_/1 The lower mandible is larger than the upper
3. \_\_\_\_/2 A nest made on the ground in sand, soil, or leaves
  
4. \_\_\_\_/1 Down feathers

Slide B

5. \_\_\_\_/2 *Red-breasted Nuthatch*
- 6. \_\_\_\_/1 Pine resin, a.k.a., pitch
7. \_\_\_\_/1 Fecal pouch or sac
8. \_\_\_\_/1 Least concern (LC)

Slide C

9. \_\_\_\_/2 *Bubo virginianus*
- 10. \_\_\_\_/2 The eyes are fixed in their sockets
11. \_\_\_\_/2 A standing, partly or completely, dead tree where nesting occurs

12. \_\_\_\_/1 Skunks

Slide D

13. \_\_\_\_/1 Southern California to Texas south through Central America
  
14. \_\_\_\_/1 To keep warm
- 15. \_\_\_\_/2 The males and females look identical OR are indistinguishable from one another
  
16. \_\_\_\_/2 Soft, fleshy swelling found on the beaks of some birds: also known as the operculum

Slide E

17. \_\_\_\_/2 Makes it easier to feed on carrion (feathers do not get encrusted with blood) OR used in courtship displays
18. \_\_\_\_/1 Critically endangered (CE)
- 19. \_\_\_\_/2 They defecate on their legs and feet to increase evaporative cooling

20. \_\_\_\_/1 Crop

Slide F

21. \_\_\_\_/1 Granary
22. \_\_\_\_/2 *Melanerpes formicivorus*

Slide F

- 23. \_\_\_/3 Female mates with several males and they all participate in rearing the mixed brood
  
- 24. \_\_\_/2 Prevents their eyes from leaving their sockets when they are pecking

Slide G

- 25. \_\_\_/2 *Podilymbus podiceps*
- 26. \_\_\_/2 Offspring leave the nest shortly after hatching
  
- 27. \_\_\_/1 Preening OR feather cleaning/ straightening
- 28. \_\_\_/2 Lack webbing between the toes; they are lobed

Slide H

- 29. \_\_\_/2 Accipitridae
- 30. \_\_\_/2 The furcula OR wishbone
- 31. \_\_\_/2 Active during the day
- 32. \_\_\_/2 Red-tailed Hawk

Slide I

- 33. \_\_\_/2 Black-billed Cuckoo
- 34. \_\_\_/2 Females lay eggs in the nests of other bird species; thus, the hatchlings parasitize other birds
  
- 35. \_\_\_/1 Hairy or spiny caterpillars
- 36. \_\_\_/1 South America (Columbia south to Peru)

Slide J

- 37. \_\_\_/2 Anseriformes
- 38. \_\_\_/2 Speculum
- 39. \_\_\_/2 Located in the bill, lamellae are used for filter-feeding and straining food
  
- 40. \_\_\_/1 Carl Linnaeus

Slide K

- 41. \_\_\_/2 *Lanius ludovicianus*
- 42. \_\_\_/2 A hook at the end of the beak (or upper mandible)
- 43. \_\_\_/2 Refers to young that, after being born, need to be fed and taken care of for some period of time
  
- 44. \_\_\_/1 Uric acid

Slide L

- 45. \_\_\_/2 Hirundinidae
- 46. \_\_\_/1 Mud and saliva
- 47. \_\_\_/2 Catching insects while in flight
  
- 48. \_\_\_/2 Purple martins